State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant Well Approval Application RECEIVED-Treatment Plant

Form 3300-256 (R 7/05)

APR 23 2014

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code, Personally identificable information collected on this form, including such data as your name, address and phone number, will be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information				
Application Prepared By (Name and Title)		Company	1. //	CD
Historia Well Dullin	a Tuc.	John J t	tintake	(Pres.)
Street Address	J .	City	Stat	683 63
N5072 Hintake	Rd.	NewLon	don W	I 54961
Telephone Number	Fax Number	E-Mail Addr	ess / i ///	2 11 1
(920) 982-5426	(970) 982-5504	1 Min	tzke wella	gattinet
Property Ownership Information	Name of Darson and Title)	Company		
Property owner, if different than applicant (_		11 0 .	Farm
Allen P. Oberstad	f Pres,	Obersta		
Street Address	Ī.	City Carry 4	Stat	
7261 Marsh Kd	<u></u>	Fre mont	L	1 54940.965
Telephone Number	Fax Number	E-Mail Addr	ess	
(920) 667-4932				
Well Operator Information				
Well operator if different than owner (Name	e of Person and Title)	Company		
Same				
Street Address		City	Sta	te ZIP Code
Telephone Number	Fax Number	E-Mail Add	ress	
, 3.3				
Property Information			3 50	
Estantha High Canacity Wall File Number be	elow if the property is already	a high capacity property. If	the property is not des	ignated as a high capacity
property at the time of application, enter "NO or use the compact disk of departmental well	NF " NOTE: Find the file num	ber in upper right hand cor	ner of the most recent	nigh capacity well approval,
"Location" section. File number format is as	follows: (1 or 2 digits for count	y) - (1 digit for well classific	ation) - (1 to 4 digits fo	r assigned property no.).
County	Town	*	High Capacity Well F	ile No.
	Winch	peter		
Winnebago	Colorer.	CSIC		
Submittal Purpose				
Check all that apply:	11	llago por minuto		
Install one or more new wells with a			90	
Install one or more new wells with a			n capacity property.	
Replace one or more wells with a c				
Replace one or more wells with a c	capacity less than 70 gallon	s per minute on a high o	capacity property.	
Reconstruct one or more wells with	a capacity greater than 70) gallons per minute.		
Reconstruct one or more wells with	a capacity less than 70 ga	allons per minute on a hi	gh capacity property	<i>1</i> .
☐ Increase pumping rate in one or me				
Request continued operation of hig				ired.)
Renew a previous approval that ha		J		6.
	io orbitou.			
Well (or wells) will serve a school of	er wastowater treatment als	nt See definitions on n	ane h	
Other, explain	or wastewater treatment pla		age 5.	

Form 3300-256 (R 7/05) Page 2 of 6

Site Status Information

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and	pump installers
and the information supplied by the property owner. Internet address is <u>dnr.wi.gov/org/water/dwg/dws.htm</u> . Enter YES	or NO for each
of the following questions.	

0		mig decement	
YES	Z	Has the property boundary changed since the most recent yet a high capacity property, check NO.	nigh capacity well approval was issued? If the property is not
	Z	Has there been a change in well ownership since the last a If YES, name of current owner:	oproval was written? Date of purchase:
	Ø	Has there been a change in well operator since the last applif YES, name of current operator:	roval was written? Date of change:
	凶	Will a proposed well be connected to a plumbing system th supply, etc.)? If YES, include a schematic drawing showing	at is supplied by other sources (other wells, municipal backflow protection.
	図	Is a proposed well within 1,200 feet of a landfill? Determine compact disk FIND feature. Enter the township, range and also check the adjacent section or sections. If YES, list the landfill site ID Number:	if there are any landfills nearby, using the well information section of the well location. If the well is near a section line, OR Landfill location: (Township/Range/Section)
	図	Is a proposed well on a property that has a contaminated s Redevelopment Tracking System) Number here and specif	te? If YES, list the BRRTS (Bureau for Remediation and y if the site is open or closed:
	Ø	Is a proposed well on a property that has a groundwater us number, as assigned to the contaminated site by the DNR	e restriction recorded on the deed? If YES, list the BRRTS remediation and redevelopment program:
	Ø	Is a proposed well on a property that is listed on the depart restriction? See compact disk or internet at maps.dnr.state here:	ment's registry of closed remediation sites for a groundwater use e.wi.us/imf/dnrimf.jsp?site=brrts. If YES, list the BRRTS Number
	Ø	Is a proposed well to be used for a public water supply sys water system" in the definitions section on page 5.	tem that serves 25 or more people? See definition of a "public
Z		Is a proposed well to be installed within a special casing ar by the department and/or contact the regional DNR office.	ea? Refer to the list of special casing areas that is published
	Ø	Has the number of wells or pumping capacity in an existing approval was issued?	well increased since the most recent high capacity well
	Ø	Has the number of wells decreased since the most recent capacity property, check NO.	nigh capacity well approval? If the property is not yet a high
	X	Is a non-pressurized storage vessel (i.e. reservoir) other th	an a pond proposed or in use?
	Ø	Will the well discharge directly to a storage pond?	
	K	Is a pressurized tank with a capacity greater than 1,000 ga	llons proposed or in use?
	区	Is a proposed well within 1,200 feet of a quarry?	
	X	Is a proposed well located in a floodplain or floodway?	
	図	Are any existing well installations on the high capacity propadministrative Code?	perty out of compliance with Chapter NR 812, Wisconsin
	V	Will the well be used as a source of bottled water?	
	区	Are you seeking a variance to construct a well that has a construction standards?	apacity of less than 70 gallons per minute to low capacity well
	Ø	Is the property served by a community water system?	

Existing Well Information						
Enter the following information on a	all existing wells on the pr	operty, if more than four v	vells, submit add	itional she	ets:	
Well Name Assigned by Well Owner (North Well, etc.):	#001	#002				
Well Number Assigned by Owner (001, 002, etc.):	# 001	#002				
WI Unique Well Number or NA if no number:	NA	MZ 436				
Permanent DNR High Capacity Well Number or N/A if none:	AN	NA			L ALVARITATO .	
Public Water System ID Number, if Public (if not public, NONE):	None	None				
Potable or Non-Potable Use:	Potable	Potable				
Type of Well (Irrigation, Industrial, Residential, etc.):	Residential	Barn				
Requested Average Water Usage per Day in Gallons:	500 6.P.D	9,600 G.P.D				
Requested Maximum Water Usage per Day in Gallons:	1000 G.P.D	18,000 G.P.D				
Seasonal? (April to October, Year Around, etc.):	Year around	Year around	4AM.			
Approved Pumping Capacity if Previously Approved (gpm):	NA	NA				
Current Pump Type & Capacity (gpm):	Sub. 106.PH	Sub. 206.P.M				
Proposed Pump Type & Capacity If Change Requested (gpm):	NA	Sub. 606.P.M				
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	Pitless	Pitless				
Discharge Location (Building Pressure Tank, Pond, etc.):	Build Pressure tank	Build Pressuratark				
Height of Well Casing Above Ground in Inches:	12"	24''				
Potential Contaminant Sources and Distance:	Septic-80'	L.T.manure 210'				
Well Loc: Quarter Quarter Section	NW 1/4 of NW 1/4	NW 1/4 of NW 1/4	_1/4 of	1/4	1/4 of	1/4
or Government Lot Number						
Section or French Long Lot No.	5ec 6	5ec.6				
Township:	T 20 N	T 20 N	Τ	N T		N
Range (Select E or W):	R 15 VE W	R 15 KE W]E 🗌 w f	<u> </u>	□E □W
Latitude (Degrees and Minutes)	44014.585	44 0 14.581.	<u> </u>	1	0	· <u>·</u>
Longitude (Degrees and Minutes)	88.45.372	88. 45.661.	o			·
GPS Map Datum (WGS84,	6PS 006	6.P.S.006				
WTM91, etc.) Include as much of the following information record is attached, a	mation as practical for wells t	hat do not have well construc	tion records attact	ned to the ap	pplication, howe	ever if the
Date of Construction:		11/13/99				***************************************
Drilled by (Name of Drilling Firm):		Hintzke Well				
Drilling Method(s) (Rotary, Percussion, Etc.)		Rotary Cosing				,
Well Depth in Feet:		144				
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	inches, feel	6 inches, 89 feet	inches,	feet	inches,	feet
Lower Drillhole Diameter in Inches and Depth in Feet:	inches, fee	6 inches, 55 feet	inches,	feet	inches,	feet
Well Casing Diameter in Inches and Depth in Feet:	5 inches, fee	6 inches, 9/ feet	inches,	feet	inches,	feet
Well Casing Material and Wall Thickness:	Steel	Steel 280 Wall				
Annular Space Material Between Casing and Drillhole Wall:		Benseal				
Is There a Well Screen (Y or N) If so Screen Material?:	,	No				

Proposed Well Information		
Enter the following information on all	proposed wells on the property, if more than two wells	or alternate construction, submit additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	#003	
Well Number Assigned by Owner (001, 002, etc.):	# 003	
Well Loc: Quarter Quarter Section or French Long Lot Number	NW 1/4 of NW 1/4 of Section 6	1/4 of 1/4 of Section
or Government Lot Number		
Township & Range (Select E or W)	T 20 N,R 15 DE DW	T N,R DE DW
Latitude (Degrees and Minutes)	44 . 14.591 .	0
Longitude (Degrees and Minutes)	88 · 45.595 ·	0
GPS Map Datum (WGS84, WTM91, etc.)	6.P.S. 006	
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Ivvigation Potable Non-Potable	Type: Potable Non-Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	Rotary	
Anticipated Geological Materials and E	epths that Are Expected During Drilling:	
Material and Depth Interval:	topevil from 0' to 1 '	from 0 ' to '
Material and Depth Interval:	Sandrelay from 1 to 12	from ' to '
Material and Depth Interval:	C/ay from 12 to 60 .	from ' to '
Material and Depth Interval:	Claysgrovel from 68 to 90	from ' to '
Material and Depth Interval:	Sandstone from 90 to 500 .	from ' to '
Drillhole Diameter and Anticipated Dep	11000,000	Notifi to
Diameter and Depth Interval:	16" from 0 to 98 to	from ' to '
Diameter and Depth Interval:	12" from 98 to 500 .	from ' to '
Diameter and Depth Interval:	from ' to '	from ' to '
Permanent Casing or Liner Diameter a	nd Wall Thickness at Anticipated Depth Intervals:	
Diameter and Wall Thickness	/2 " diam/ ,750 " thick 0' to 100 '	" diam/ " thick 0 ' to '
at Depth Interval: Diameter and Wall Thickness at Depth Interval:	" diam/ " thick ' to '	" diam/ " thick ' to '
Permanent Casing or Liner Material , I		Cidital Cinox (C
Casing Joints (Welded, T and C,	Weld	
etc.) Material and Weight		
at Depth Interval:	5+001 133:38 lbs/foot 0' to 100 ·	/ Ibs/foot 0 ' to '
Material and Weight at Depth Interval:	/ lbs/foot 'to '	/ lbs/foot ' to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	/\ A / -/ to	/ "/ ' to .
Casing to Screen Joint (Welded, T	•	
and C, K Packer, etc.) Annular Space Material Including Filte	r Pack Material, If Used:	
Material and Depth Interval:	Neatcement 1 0' to 98.	/ 0' to '
Material and Depth Interval:	/ 'to '	/ ' to '
Proposed Average Water Usage Per Day in Gallons:	660,000 G.P.D	
Proposed Maximum Water Usage Per Day in Gallons:	1,000,000 G.P.D	1
Seasonal? (April to October, Year Around, etc.):	Seasonal- april - october	
Proposed Pump Type & Capacity (gpm):	Submerisble 750 G.P.M	
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	Over top casing	
Discharge Location (Building Pressure Tank, Pond, etc.):	Pivot mila	
Distance and Direction to Nearest Public Utility Well & Well Name:	Francis - 10 miles New Condon	
Distance to Other Potential Contaminant Sources:	Liquid tight inquire 600 ft	
Distance to Other Potential		
Contaminant Sources:	feed storage 200ft.	
Leave Blank, for Department use only		

Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box
Allen Ober Stadt	Owner Agent of the Owner
Signature / further	Oberstadt Dairy Farm 9/15/14
Application submittal. Mail completed application and Section - DG/2, PO Box 7921, Madison WI 53707-79.	payment with all required attachments to DNR, Private Water Systems 21.

Delinitions from Wisconsin Authinistrative codes

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

0

